
MITIGATION MONITORING AND REPORTING PROGRAM

This Mitigation Monitoring and Reporting Program (MMRP) is formulated based upon the findings of the Initial Study/Mitigated Negative Declaration (IS/MND) prepared for the Tice Valley Park Lighting Project (project). The MMRP, which is found in Table A, lists mitigation measures recommended in the IS/MND and identifies mitigation monitoring requirements.

This MMRP has been prepared to comply with the requirements of State law (Public Resources Code Section 21081.6). State law requires the Lead Agency to adopt an MMRP when mitigation measures are required to avoid significant impacts. The MMRP is intended to ensure compliance with the mitigation measures identified in the IS/MND during implementation of the project.

The MMRP is organized in a matrix format. The first column identifies the recommended mitigation measures. The second column, entitled *Implementation Actions*, refers to the actions taken by the party responsible for oversight to ensure compliance. The third column, entitled *Timing Requirements*, refers to when the monitoring will occur to ensure that the mitigating action is completed. The fourth column, entitled *Monitoring/Reporting Responsibility* refers to the party responsible for oversight or ensuring that the mitigation measure is implemented. The fifth column, entitled *Verified By and Date*, refers to the party and date the action was verified as complete.

This page intentionally left blank

Table A: Mitigation Monitoring and Reporting Program

Mitigation Measure	Implementation Actions	Timing Requirements	Monitoring/Reporting Responsibility	Verified By and Date
NOISE				
<p>NOI-1: The project contractor shall implement the following measures during construction of the proposed project:</p> <ul style="list-style-type: none"> • Equip all construction equipment, fixed or mobile, with properly operating and maintained mufflers consistent with manufacturers' standards. • Place all stationary construction equipment so that emitted noise is directed away from sensitive receptors nearest the active project site. • Locate equipment staging in areas that would create the greatest possible distance between construction-related noise sources and noise-sensitive receptors nearest the active project site during all construction activities. • Ensure that all general construction related activities are restricted to between the hours of 7:00 a.m. and 6:00 p.m. on weekdays. Construction activities shall be prohibited on weekends and holidays. • Designate a "disturbance coordinator" at the City who would be responsible for responding to any local complaints about construction noise. The disturbance coordinator would determine the cause of the noise complaint (e.g., starting too early, bad muffler) and would determine and implement reasonable measures warranted to correct the problem. 	<ul style="list-style-type: none"> • Include measure as Condition of Approval. • Incorporate measure as part of construction specifications. 	<p>Throughout the construction period</p>	<ul style="list-style-type: none"> • The City of Walnut Creek is responsible for incorporating this measure into contract specifications and for ensuring compliance during construction. • The Construction Contractor is responsible for implementing this measure. 	

Source: LSA (2023).